

Digital Image Watermarking using BFO Optimized DWT and DCT

Prashant Kaushik

M. Tech., ECE Department, RPIIT College, Bastara, Karnal, Haryana

Abstract: Watermarking has been invoked as a tool for the protection of Intellectual Property Rights (IPR) of multimedia contents. Because of their digital nature, multimedia documents can be duplicated, modified, transformed, and diffused very easily. In this context, it is important to develop a system for copyright protection, protection against duplication, and authentication of contents. For this, a watermark is embedded into the digital data in such a way that it is indissolubly tied to the data itself. Later on, such watermark can be extracted to prove ownership to trace the dissemination of the marked work through the network, or simply to inform users about the identity of the rights-holder or about the allowed use of data. This paper deals the developing the watermarking schemes for digital images stored in both, spatial and transformed domain. In this thesis we mainly focus on the Discrete Cosine Transform (DCT) and Discrete Wavelet Transform (DWT) based development. To increase the undetectability and to increase the claim, gain of embedding algorithm is optimized with the help of bacterial foraging optimization (BFO) so that security is increased. For this every watermark is given a unique identification, same as the principle of Code Division Multiple Accessing (CDMA) technique. To prove its commercial usability, we take special care so that at least one attack, having huge financial implications, can be sustained due to the in-built capacity of the watermarking scheme. Apart from this, since JPEG is the most commonly used image format over WWW, we pay special attention to robustness against noise attack. We propose to increase the robustness against some attacks by pre-processing the images. In this paper, we also present a correlation between the performance of the watermarking scheme against some attacks and the original image characteristics. All presented watermarking schemes are robust against common image manipulations and attacks

I. INTRODUCTION

A watermark is a recognizable image or pattern in paper that appears as various shades of lightness/darkness when viewed by transmitted light (or when viewed by reflected light, a dark background), caused by thickness or density variations in the paper. There are two main ways of producing watermarks in paper; the dandy roll process and complex cylinder mold process. Watermarks are often used as security features of bank notes, passports, postage stamps and other documents to prevent counterfeiting. Watermark is very useful in the examination paper because it can be used for dating, identifying sizes, mill trademarks and locations, and the quality of a paper. We are living in the era of information where billions of bits of data is created in every fraction of a second and with the advent of internet, creation and delivery of digital data (images, video and audio files, digital repositories and libraries, web publishing) has grown many fold. Since copying a digital data is very easy and fast too so, issues like, protection of rights of the content and proving ownership, arises.

Digital watermarking came as a technique and a tool to overcome shortcomings of current copyright laws for digital data. The specialty of watermark is that it remains intact to the cover work even if it is copied. So to prove ownership or copyrights of data watermark is extracted and tested. It is very difficult for counterfeiters to remove or alter watermark. As such the real owner can always have his data safe and secure. Our aim is to study different watermarking techniques and all types of attack. Counterfeiters try to degrade the quality of watermarked image by attacking an image (generally attacks are scaling, compression and rotation of watermarked image). By attacking watermarked image it becomes very difficult to recover watermark back from the watermarked image and even if it extracted one may no longer use it to prove the ownership and copyrights. So our main idea is to find such regions, also known as patches, in an image which are very stable and resistant to attacks.

The term watermark may have been derived from the German term, sermarke. The term is actually a misnomer, in that water is not especially important in the creation of the mark. It was probably given because the marks resemble the effects of water on paper. At the beginning of 1990 the idea of digital watermarking has emerged, it embedding imperceptible information into audio visual data. The first watermarking methods were proposed for digital images by Caronni in 1993. Digital

watermarks have mainly three application fields: data monitoring, copyright protection and data authentication. The art of watermarking was invented in China over one thousand years earlier. The marks were made by adding thin wire patterns to the paper moulds. The paper would be slightly thinner where the wire was thicker and hence more transparent. The meaning and purpose of the earliest watermarks are uncertain. They may have been used for practical functions such as identifying the moulds on which sheets of papers were made, or as trademarks to identify the paper maker




Figure 1: Motivation behind Digital Watermarking

II. Objective and Methodology

The purpose of watermarking is to hide the presence of a message. Modern day techniques embed pictures and text inside computer files. But with the advancement of watermarking the imperceptibility of secret message is also increased. Working with watermarking, my work objective will be:

- 1) LSB method is having low security so transform techniques will be used, as these divides image into various energy levels. Discrete Wavelet Transform technique will be used for this purpose and secret key will be hidden into low frequency regions.
- 2) Various optimization techniques are available in literature. Initially neural network put its steps in intelligent optimization field, followed by PSO. But a new technique Bacterial Foraging Optimization (BFO) gives very promising results as compared to previous one, especially in case of non linear function. So this optimization is suitable for our work as in steganography one to one mapping of secret message with cover image is not required
- 3) The embedding capacity of proposed work will be checked.
- 4) A Graphical User Interface will be prepared in MATLAB for our proposed work.

Methodology Used: In our proposed work the message is hide in the cover image. Objective is to achieve invisible watermarking such that after embedding the message, message shouldn't be observable. The method adopted for this purpose is the combination of three methods which are used in watermarking individually. But every method has its own limitations so in our work these are combined to overcome their limitations. The method adopted here is Discrete Wavelet transform (DWT) along with Discrete cosine transform (DCT), optimized with bacterial foraging optimization (BFO). The performance criteria's for image watermarking are PSNR (Peak signal to noise ratio) value, NCC (normalized cross correlation) and IF (image fidelity). The value of PSNR and NCC must be high for good embedding of message

III. Discrete Wavelet Transform

In numerical analysis and functional analysis, a discrete wavelet transform (DWT) is any wavelet transform for which the wavelets are discretely sampled. As with other wavelet transforms, a key advantage it has over Fourier transforms is temporal resolution: it captures both frequency and location information (location in time). The discrete wavelet transform has a huge number of applications in science, engineering, mathematics and computer science. Most notably, it is used for signal coding, to represent a discrete signal in a more redundant form, often as a preconditioning for data compression. Practical applications can also be found in signal processing of accelerations for gait analysis, in digital communications and many others. It is shown that discrete wavelet transform (discrete in scale and shift, and continuous in time) is successfully implemented as analog filter bank in biomedical signal processing for design of low-power pacemakers and also in ultra-wideband (UWB) wireless communications. The DWT of a signal x is calculated by passing it through a series of filters. First the samples are passed through a low pass filter with impulse response g resulting in a convolution of the two:

$$y[n] = (x * g)[n] = \sum_{k=-\infty}^{\infty} x[k]g[n - k].$$

The signal is also decomposed simultaneously using a high-pass filter h . The output is the detail coefficients (from the high-pass filter) and approximation coefficients (from the low-pass). It is important that the two filters are related to each other and they are known as a quadrature mirror filter. However, since half the frequencies of the signal have now been removed, half the samples can be discarded according to Nyquist's rule. The filter outputs are then sub sampled by 2 (Mallat's and the common notation is the opposite, g- high pass and h- low pass):

$$y_{\text{low}}[n] = \sum_{k=-\infty}^{\infty} x[k]h[2n - k]$$

$$y_{\text{high}}[n] = \sum_{k=-\infty}^{\infty} x[k]g[2n - k]$$

This decomposition has halved the time resolution since only half of each filter output characterises the signal. However, each output has half the frequency band of the input so the frequency resolution has been doubled.




Figure 2: Block diagram of filter analysis

With the sub sampling operator \downarrow

$$(y \downarrow k)[n] = y[kn]$$

the above summation can be written more concisely.

$$y_{\text{low}} = (x * g) \downarrow 2$$

$$y_{\text{high}} = (x * h) \downarrow 2$$

However computing a complete convolution $x * g$ with subsequent downsampling would waste computation time.

IV. Discrete Cosine Transform

DCT breaks the image into two different frequency components: low frequency and high frequency. Low frequency component contains high energy and can be considered as luminance part of image whereas reflectance is constituted by high frequency component as it contains the low energy. A discrete cosine transform (DCT) expresses a finite sequence of data points in terms of a sum of cosine functions oscillating at different frequencies. DCTs are important to numerous applications in science and engineering, from lossy compression of audio (e.g. MP3) and images (e.g. JPEG) (where small high-frequency components can be discarded), to spectral methods for the numerical solution of partial differential equations. The use of cosine rather than sine functions is critical for compression, since it turns out (as described below) that fewer cosine functions are needed to approximate a typical signal), whereas for differential equations the cosines express a particular choice of boundary conditions.

In particular, a DCT is a Fourier-related transform similar to the discrete Fourier transform (DFT), but using only real numbers. DCTs are equivalent to DFTs of roughly twice the length, operating on real data with even symmetry (since the Fourier transform of a real and even function is real and even), where in some variants the input and/or output data are shifted by half a sample. There are eight standard DCT variants, of which four are common. The most common variant of

discrete cosine transform is the type-II DCT, which is often called simply "the DCT", its inverse, the type-III DCT, is correspondingly often called simply "the inverse DCT" or "the IDCT". The discrete cosine transform (DCT) helps separate the image into parts (or spectral sub-bands) of differing importance (with respect to the image's visual quality). The DCT is similar to the discrete Fourier transform: it transforms a signal or image from the spatial domain to the frequency domain.




Figure 3: Discrete cosine transform

V. Bacterial Foraging Optimisation

Bacteria Foraging Optimization Algorithm (BFOA), is a new comer to the family of nature-inspired optimization algorithms. For over the last five decades, optimization algorithms like Genetic Algorithms (GAs), Evolutionary Programming (EP), Evolutionary Strategies (ES), which draw their inspiration from evolution and natural genetics, have been dominating the realm of optimization algorithms. Recently natural swarm inspired algorithms like Particle Swarm Optimization (PSO), Ant Colony Optimization (ACO) have found their way into this domain and proved their effectiveness. Application of group foraging strategy of a swarm of E. coli bacteria in multi-optimal function optimization is the key idea of the new algorithm. Bacteria search for nutrients in a manner to maximize energy obtained per unit time. Individual bacterium also communicates with others by sending signals. A bacterium takes foraging decisions after considering two previous factors. The process, in which a bacterium moves by taking small steps while searching for nutrients, is called chemotaxis and key idea of BFOA is mimicking chemotactic movement of virtual bacteria in the problem search space. Since its inception, BFOA has drawn the attention of researchers from diverse fields of knowledge especially due to its biological motivation and graceful structure. Researchers are trying to hybridize BFOA with different other algorithms in order to explore its local and global search properties separately. It has already been applied to many real world problems and proved its effectiveness over many variants of GA and PSO.

Conclusion

In this paper, survey on new digital watermarking technique using BFO optimized DWT and DCT was done. Working with watermarking, work objective will be Discrete Wavelet Transform technique will be used for this purpose and secret key will be hidden into low frequency regions. Bacterial Foraging Optimization (BFO) will be used. The embedding capacity of proposed work will be checked. A Graphical User Interface will be prepared in MATLAB for proposed work.

References

- [1]. Abdelaziz I. Hammouri, Basem Alrifai and Heba Al-Hiary," An Intelligent Watermarking Approach Based Particle Swarm Optimization in Discrete Wavelet Domain" IJCSI International Journal of Computer Science Issues, Vol. 10, Issue 2, No 1, March 2013
- [2]. Ray-Shine Run, Shi-Jinn Horng, Jui-Lin Lai, Tzong-Wang Kao, Rong-Jian Chen," An improved SVD-based watermarking technique for copyright protection" Expert Systems with Applications 39 (2012)
- [3]. Sonil Sood, Ajay Goyal," Watermarking Relational Databases using Genetic Algorithm & Bacterial Foraging Algorithm" International Journal of Information & Computation Technology, Volume 4, Number 17 (2014)
- [4]. Hsiang-Cheh Huang, Yueh-Hong Chen, Ajith Abraham," Optimized Watermarking Using Swarm-Based Bacterial Foraging" Journal of Information Hiding and Multimedia Signal Processing, Volume 1, Number 1, January 2010.
- [5]. Sonil Sood," Digital Watermarking Using Hybridization of Optimization Techniques:A Review" International Journal of Computer Science and Information Technologies, Vol. 5 (4) , 2014.
- [6]. P. Surekha and S. Sumathi," Implementation Of Genetic Algorithm For A Dwt Based Image Watermarking Scheme" Ictact Journal On Soft Computing: Special Issue On Fuzzy In Industrial And Process Automation, July 2011, Volume: 02, Issue: 01.
- [7]. Zhicheng Wei, Hao Li, Jufeng Dai ,Sashuang Wang," Image Watermarking Based On Genetic Algorithm" IEEE 2006
- [8]. Mahmoud Elnajjar, A.A Zaidan, B.B Zaidan, Mohamed Elhadi M.Sharif and amdan.O.Alanazi," Optimization Digital Image Watermarking Technique for Patent Protection" Journal Of Computing, Volume 2, Issue 2, February 2010.

- [9]. Khaled Loukhaoukha," Optimal Image Watermarking Algorithm Based on LWT-SVD via Multi-objective Ant Colony Optimization" Journal of Information Hiding and Multimedia Signal Processing, Volume 2, Number 4, October 2011.
- [10]. Mona M. Soliman, Aboul Ella Hassanien, Neveen I. Ghali and Hoda M. Onsi," An adaptive Watermarking Approach for Medical Imaging Using Swarm Intelligent" International Journal of Smart Home Vol. 6, No. 1, January, 2012.
- [11]. V. Aslantas," Optimal SVD based Robust Watermarking using Differential Evolution Algorithm" Proceedings of the World Congress on Engineering 2008 Vol I.
- [12]. S.Veeramani, Y.Rakesh," An Optimization Technique for Image Watermarking Scheme" International Journal of Computer Trends and Technology (IJCTT) – volume 5 number 3 –Nov 2013.
- [13]. Krati vyas, B.L.Pal," Proposed Method In Image Steganography To Improve Image Quality With Lsb Technique" International Journal of Advanced Research in Computer and Communication Engineering Vol. 3, Issue 1, January 2014.
- [14]. Parisa Gerami, Subariah Ibrahim, Morteza Bashardoost," Least Significant Bit Image Steganography using Particle Swarm Optimization and Optical Pixel Adjustment" International Journal of Computer Applications (0975 – 8887) Volume 55– No.2, October 2012.
- [15]. Navdeep Kaur," Steganography Using Particle Swarm Optimization-A Review" International Journal Of Engineering Sciences & Research Technology, November, 2013.
- [16]. Aisha Fernandes, Wilson Jeberson," A Simple Steganographic Technique with a Good Embedding Capacity" International Journal of Darshan Institute on Engineering Research and Emerging Technology Vol. 2, No. 2, 2013, pp. 56-61
- [17]. I.-K. Yeo and H. J. Kim, "Modified patchwork algorithm: a novel audio watermarking scheme," IEEE Transactions on Speech and Audio Processing, vol. 11, no. 4, pp. 381–386, 2003.
- [18]. P. Meerwald and A. Uhl, "Watermarking of raw digital images in camera firmware: embedding and detection," in Proceedings of the 3rd Pacific Rim Symposium on Image and Video Technology, PSIVT '09, vol. 5414 of Lecture Notes in Computer Science, (Tokyo, Japan), pp. 340–348, Springer, Jan. 2009.
- [19]. G. Langelaar, I. Setyawan, and R. L. Lagendijk, "Watermarking digital image and video data," IEEE Signal Processing Magazine, vol. 17, p. 2043, 2000.
- [20]. A. Khan and A. M. Mirza, "Genetic perceptual shaping: Utilizing cover image and conceivable attack information during watermark embedding," Information Fusion, vol. 8, pp. 354–365, October 2007
- [21]. W. Zhicheng, H. Li, J. Dai, and S. Wang, "Image watermarking based on genetic algorithm," in ICME IEEE, p. 1171120, 2006.