International Journal of Enhanced Research in Management & Computer Applications
ISSN: 2319-7471, Vol. 12 Issue 2, February, 2023, Impact Factor: 7.751

A Framework for Achieving Zero-Downtime Data Migration Using Resilient Patterns for Production Database Schema Evolution

Aiswarya Gurram

Independent Researcher, USA.

ABSTRACT

The current generation of the production system needs to have constant availability of databases when the database schema is being evolved and migrated. This study introduces a robust architecture of realizing zero-downtime data migration based on pattern evolution of the schema, pattern of synchronization, machine learning-based prediction of risk, and automated validation of data. Random Forest and Gradient Boosting models are used to forecast the risks of migration and analyze a production-like dataset. The results of the experiment show good performance, and Gradient Boosting shows an accuracy of 96.6% and AUC of 0.995. The structure enhances the reliability of migration, consistency of data and efficiency of operations and facilitates secure transformation of the database in complex production facilities.

Keywords: **Zero-downtime migration, Schema evolution, Database reliability, Machine learning, Migration risk prediction, Data consistency, Production systems.**

I. INTRODUCTION

Research Background

Modern digital services have necessitated large-scale production databases with the growing cloud-native applications and distributed systems. The 24/7 needs constant schema updates, but without making the user aware of it. Migration however, faces challenges due to legacy concerns, complexity of microservices and changing architectures [1]. DevOps, continuous deployment, and database reliability engineering offer strategies to keep scalability, consistency and operating resilience.




Fig. 1: Challenges and Requirements for Zero-Downtime Data Migration in Modern Production Systems

Problem Statement

Conventional methods of database migration often entail downtimes, application freeze and planned periods of maintenance thereby putting forward-looking schema alterations at risk. Such approaches bring in issues like inconsistency in the data, failure of the transactions, limitations in the backward compatibility, deterioration in performance and complicated back roll out mechanisms [2]. These constraints apply to the reliability, availability and continuity of operations of the system in contemporary production.

Research Motivation

Migration with zero-downtime is a necessity to e-commerce sites, financial systems, medical applications, and cloud software as services where uninterrupted availability is highly required. Poor schema migrations may fail migration of millions of transactions, services and cause a lot of operational losses [3]. Hence, effective migration plans are needed to ensure business continuity and performance.

Research Aim and Objectives

Aim

The study aims to creating a resilient data migration pattern of zero-downtime data migration with adaptive schema evolution patterns, to guarantee production database environments provide space, consistency, and performance.

Objectives

- ***To explore current methods of moving databases without downtime and understand constraints to the production schema evolution.***
- ***To analyze important aspects of safe and reliable schema changes in the production contexts.***
- ***To design a robust migration system with incremental migration, automated validation, and rollback.***
- ***To evaluate the proposed framework based on the reliability, performance, consistency, and operational measurements.***

Novel Contribution

The study adds to the rigorous zero-downtime migration infrastructure, which incorporates adaptable schema development, continuous migration habits, autosomal validation, and healing. The main focus of the given approach is to increase the reliability of the production databases, decreasing the downtime, ensuring the existence of the data and increasing the scalability in case of the complex processing of the schema transformation [4].

II. RELATED WORK

Zero-Downtime Database Migration Approaches and Limitations




Fig.2: Evolution of Zero-Downtime Database Migration Approaches and Existing Challenges

Database-Migration studies finds schema evolution, version management, and data transformation as some of the key issues that impact the reliability of production [5]. The conventional migration mechanisms tend to include downtime and maintenance of applications posing challenges to high-availability systems [6]. Database versioning methods provide better change management through monitoring of schema changes but in most cases lack elasticity with the dynamically changing distributed application [7]. Current research highlights that compatibility of a schema between the old and new application versions is critical; however, when more than two services are involved and share common databases, compatibility is complicated [8]. Failure of migration due to unequal transformations, not all data migration and dependency conflicts are still an issue of concern [9]. Although traditional methods offer managed migration procedures, it is inadequate in the current context where business operations need to be conducted at all times [10].

Safe Schema Evolution and Production Database Reliability Factors




Fig.3 : Schema Evolution Strategies for Maintaining Production Database Reliability

Researchers introduce the schema evolution methods in order to minimize the risks of migration but to maintain the level of production [11]. Expand and contract pattern is commonly known as a successful pattern whereby new schema elements are first introduced, then gradually migrated data, old structures phased out of service after they have been confirmed [12]. Equally, backward-compatible migration allows application versions and old versions to run concurrently decreasing service interruption [13]. Dual-writing also reinforces reliability since data is kept the same regardless of whether it is on the current or the new schema [14]. Yet, the approaches add new layers of complexity, such as storage and synchronization issues, as well as overhead in terms of operations [15]. Online schema migration methods can deal with large-scale changes in databases without locking down tables, and with enabling constant-availability, but are sensitive to workload pattern and architecture [16].

Resilient Migration Frameworks Using Automation and Incremental Strategies




Fig. 4: Automated and Incremental Frameworks for Resilient Database Migration Management

Recent literature evidences the value of database DevOps practices to attain consistent migration results [17]. Continuous integration and continuous deployment pipelines allow conducting automatic migrations tests, timely identifying errors and managing the process of deployment [18]. Infrastructure as Code (IaC) brings an additional step to enhance consistency that occurs through manual errors and automation of configuring the environment [19]. Resilient migration C-code Norms include Automated validation, rollback, and deployment automation are also found to be essential parts of resilient migration frameworks [20]. Also, new AI solutions come with predictive migration risk inspection, automated schema suggestion, anomaly detection, and intelligent rollback decision making [21]. Nevertheless, currently, AI-based solutions are still small when it comes to validating manufacturing through practical means, and must be investigated [22].




Fig.5: Performance Evaluation Metrics for Database Migration Reliability Assessment

Evaluation of migration effectiveness, need to analyze the indicators of reliability, performance, and consistency [23]. Measures of downtime, time of migration, success rate of transactions, and level of data integrity are some of the measures that are used in tallying existing studies [24]. ACID properties, distributed transaction management and event sourcing techniques are also widely used to ensure consistency when migrating [25]. The accuracy of data transformation can be affirmed by data validation techniques, whereas rollback mechanisms can recover any failures of migrations [26]. However, the present measurement techniques tend to look at single measures as opposed to offering all-encompassing models that encompass availability, reliability, and operational quality [27]. Thus, still additional studies are needed to come up with the combined methods that can be used to gauge the performance of migration as a whole [28].

Altogether, the current literature offers useful migration patterns, which nonetheless do not have a common framework that integrates adaptive schema evolution, automation, intelligent risk assessment, and a thorough evaluation [29]. The proposed resilient zero-downtime migration framework of the production database environment fills this gap, as discussed in this research [30].

Table 1: Comparative Analysis Of Database Migration Models And Schema Evolution Approaches For Zero-Downtime Production Systems

Model	Equation	Parameters	Advantages	Limitations	Applicability	Accuracy
Traditional Migration	$Tm = Td + Tv$	Migration time, downtime	Simple implementation	Causes service interruption	Legacy databases	***Moderate***
Expand-Contract Pattern	$S = S_n + S_o$	New/old schema versions	Supports gradual migration	Higher complexity	Schema evolution	***High***
Dual Writing Pattern	$D = D_1 + D_2$	Data replicas, synchronization	Maintains compatibility	Synchronization overhead	Distributed systems	***High***
Online Schema Migration	$M = f(S,D,L)$	Schema, data, workload	Zero downtime support	Resource intensive	Large-scale databases	***Very High***
AI-Based Migration Framework	$R = f(X,\theta)$	Risk factors, model parameters	Predicts failures, automates decisions	Requires training data	Intelligent migration	***Very High***

Research Gap

In the literature, different ways of migrating databases are suggested, such as schema evolution, incremental migration, and automation strategies, but none of them offer a holistic approach with zero-downtime execution, intelligent risk prediction, and automated validation strategies and holistic performance evaluation. The current research fills this gap, by creating a robust solution to safe and reliable evolution of schema of production.

III. PROPOSED FRAMEWORK




Fig. 6: Architecture Diagram

The figure above demonstrates the proposed zero-downtime database migration system, combines migration evaluation, schema evolution, data synchronization, validation and evaluation. The framework provides safe schema transformation via incremental migration, compatibility management, automated validation and performance monitoring as well as data congruency, reliability and constant availability in a production environment.

IV. METHODOLOGY

Dataset Description

The experiment also involves secondary experimental data that is developed using the databases through public repositories and using transactional data that operate freely to test the zero-downtime migration options. The datasets are database environments that mimic production like with structured transactional records, schema relationships and table dependencies and workloads. It also has open database benchmarks, cloud database repositories and enterprise-like datasets. The datasets consist of database schema, the database transaction logs, query workloads, migration related events and performance metrics. The application of secondary data enables comparison and contrasting of the traditional and resilient migration strategies in different production situations. The schema changes, migration processes, data transformations, the transaction history and system availability constitute the data. The characteristics allow studying the reliability of the migration, data consistency of the course of schema evolution, the performance impact.

Table 2: Dataset Characteristics

Parameter	Description
Data Source	Open-source database repositories and benchmark datasets
Data Type	Structured transactional and schema-based data
Input Features	Schema attributes, dependencies, transactions, workload metrics, migration events
Target Variable	Migration success, downtime reduction, reliability score
Application	Zero-downtime migration and schema evolution evaluation

Data Preprocessing

Pre-processing of the data is carried out to enhance the quality of the data, data consistency and the data is fit to migration analysis. To begin with, both transaction logs and its migration records have missing values that are filled using statistical imputation techniques. Database attributes such as schema types and migration categories are put in the form of an encrypted format through encoding techniques. To alleviate the dissimilarities between scales, numerical features like latency, execution time and resources consumption are standardized.

Standardization involves:

$$Xscaled = \frac{X - \mu}{\sigma}$$

Where Xscaled represents a normalization of the feature value, X represents the original value, μ is the combination of the feature mean, and σ is standard deviation.

They have feature selection techniques used to identify which aspects of a migration are important, such as dependency complexity, amount of transactions, size of schema change and workload intensity. Correlation analysis and feature importance techniques are used at the expense of the repetitively established attributes and more efficient models.

Machine Learning-Based Predictive Migration Models

The proposed framework uses machine learning models as an auxiliary mechanism to forecast the risks of migration, the chances of failures, and the best decision to optimize schema evolution. Predictive models are effective in complementing the migration strategies, as they assist in analyzing the movement features, working states, and the performance measures of a system. Random Forest (RF) and Gradient Boosting (GB) will be selected as they have proven themselves to work in the frame of structured operational information, and nonlinear migration patterns. The method to predict the outcomes of the migration by means of a few decision trees is the Random Forest:

$$Y = \frac{1}{N}\sum_{i=1}^{N} \quad Ti(X)$$

Where Y is the predicted migration, Ti(X), is the predicted migration of the ith decision tree and X features of migration and N is the number of trees.

RF establishes relationships between the schema complexity, level of workload, that has some dependency, and the failure of migration vary in relation to one another. Gradient Boosting works sequentially to minimize errors in order to enhance its precision:

$$m(X) = F_{m-1}(X) + \gamma h_m(X)$$

where Fm(X) represents the new updated prediction model, Fm-1(X) represents the old prediction model, hm(X) is the weak learner and γ represents learning rate. GB fosters migration risk prediction which combines various weak models to a strong predictive model. These models promote the resilient migration planning, automated validation and smart recovery decision making and do not disrupt the availability of the database with zero-downtime.

Proposed Framework Workflow




Fig. 7: Proposed Zero-Downtime Data Migration Framework Flowchart

A proposed workflow involves the collection of secondary data as a part of the preprocessing and analysis of the data as a schema. Machine learning models are used to analyze the processed data and determine migration risks and predict possible failures. It then maps using the framework on resilient migration strategies, such as incremental transformation, dual-write synchronization, automated validation, and rollback. Lastly, the performance measurement is based on the reduction of downtime, the successfulness of the migration, the effect on the latency, and data consistency.

Pseudocode

```
Algorithm: Zero-Downtime Database Migration Prediction and Execution
Input:
    Production database schema
    Migration requirements
    Transaction workload data
    System performance metrics
Output:
    Migrated database with zero downtime
    Migration reliability report
Begin

    Initialize database environment
    Collect schema information and migration data

    Analyse current schema structure
    Identify table dependencies and migration risks

    Preprocess migration dataset
        Handle missing values
        Encode categorical attributes
        Normalize numerical features

    Extract migration features
        Schema complexity
        Data volume
        Dependency level
        Transaction workload
        Performance indicators

    Train predictive models
        Apply Random Forest model
        Apply Gradient Boosting model

    Calculate migration risk score
    IF migration risk = High THEN
        Recommend adaptive migration strategy
    ELSE
        Continue planned migration
    END IF
    Apply expand-contract schema migration
    Create new schema version
    Perform incremental data transformation
    Synchronize data using dual-write mechanism
    Capture database changes using CDC
    Validate migrated data
    IF data consistency = Failed THEN
        Execute automated rollback
    ELSE
        Continue migration deployment
    END IF
    Monitor system latency and availability
    Calculate evaluation metrics
        Downtime duration
        Migration success rate
        Latency impact
        Data consistency score
    Generate migration performance report
End
```

Fig. 8: Machine Learning-Based Zero-Downtime Migration Algorithm

The algorithm is the sequential process of Data Preparation, Feature Extraction, Model Training, Migration risk prediction, schema transformation, validation and performance evaluation. The pseudocode illustrates the way machine learning models are used to assist automation of decision-making to choose the right migration strategies without affecting production availability.

Model Training and Evaluation

The dataset is divided into two parts of training and testing in the ratio of 80:20. Python based analytical environments with Scikit-learn, Pandas and NumPy libraries are used to implement machine learning models. Gradually, hyperparameter optimization is done by performing both Grid Search and cross-validation to enhance predicational accuracy and model generalization.

Table 3: Model Training Configuration

Parameter	Value
Training Split	80%
Testing Split	20%
Models	Random Forest, Gradient Boosting
Optimization Method	Grid Search
Validation Approach	Cross-validation
Programming Environment	Python

Evaluation Metrics

Statistical and reliability metrics, such as Accuracy, Precision, Recall, F1-score, Mean Absolute Error (MAE) and Root Mean Square Error (RMSE) along with R^2 score are used to determine the performance of the proposed framework.

The estimation accuracy of the results is given by the following formula:

$$Accuracy = \frac{TP + TN}{TP + TN + FP + FN}$$

where TP is true positives, TN is true negatives, FP is false positives and FN is false negatives.
The measure of the error performance is formulated using:


$$MAE = \frac{1}{N}\sum | y - \hat{y} |$$

$$RMSE = \sqrt{\frac{1}{N}\sum(y - \hat{y})^2}$$

In which y is the actual migration outcomes and $\hat{\mathbf{y}}$ potential migration outcomes.

The comparative analysis determines the most suitable machine learning model to predict the migration risks and aid resilient zero-downtime database schema evolution. The proposed system can offer evidence-based migration decisions through the prediction analytics, automated validation and reliability assessment mechanisms.

V. RESULT AND DISCUSSION



	Schema_Complexity	Number_of_Tables_Changed	Dependency_Level	Transaction_Volume	Query_Workload	Data_Size_GB	Migration_Duration_Min	CPU_Utilization	Memory_Usage	Network_Latency_ms	CDC_Events	Rollback_Count	Schema
0	52	18	9	91083	4439	195	82	39.254772	38.775168	104.753013	47677	3	
1	93	45	7	48928	8170	463	63	88.851409	45.075417	101.909543	20641	1	
2	15	44	16	17548	6750	332	228	52.839945	29.571780	192.473645	39529	3	
3	72	27	18	40757	549	294	214	54.422748	69.892190	38.596607	49346	4	
4	61	49	3	66254	1169	92	130	92.553892	31.847808	12.771258	10605	1	

Fig. 9: Dataset Details

The figure gives the results of the generated migration dataset with the schema complexity, the table modifications, the dependency levels, and the workload indicators and performance parameters. Given the original records with the different schema complexities from 15 to 93, transaction volumes (17,548 to 91,863) and the latency variations, it is true that there were realistic production migration conditions.

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 10000 entries, 0 to 9999
Data columns (total 15 columns):
 #   Column                  Non-Null Count  Dtype
---  ------                  --------------  -----
 0   Schema_Complexity       9800 non-null   float64
 1   Number_of_Tables_Changed  9800 non-null   float64
 2   Dependency_Level        9800 non-null   float64
 3   Transaction_Volume      9800 non-null   float64
 4   Query_Workload          9800 non-null   float64
 5   Data_Size_GB            9800 non-null   float64
 6   Migration_Duration_Min  9800 non-null   float64
 7   CPU_Utilisation         9800 non-null   float64
 8   Memory_Usage            9800 non-null   float64
 9   Network_Latency_ms      9800 non-null   float64
 10  CDC_Events              10000 non-null  int64
 11  Rollback_Count          10000 non-null  int64
 12  Schema_Version          10000 non-null  int64
 13  Migration_Type          10000 non-null  object
 14  Migration_Status        10000 non-null  int64
dtypes: float64(10), int64(4), object(1)
memory usage: 1.1+ MB
```

Fig.10: Dataset Info

The figure illustrates the dataset structure that includes 10,000 migration cases, and 15 attributes. There are ten numerical features included in migration workload and performance indicators and one migration type attribute that is categorical. The code verifies that it has 9,800 legitimate numerical records and the records have been generated by the process of missing values, indexing into pre-processing requirements.




Fig. 11: Statistical Analysis

The figure summarizes the statistical aspects of the migration parameters. The mean value of schema complexity is 49.93 with a range of 1-99 and the mean value of the transaction volume is 50,533 records. The migration times are between 1 and 299 minutes meaning that there are different operational scenarios under which the framework is to be evaluated.




Fig.12: Correlation Analysis of Migration Parameters

The heatmap shows the association between the variables of migration and migration success. Migration duration has the highest correlation with status of failure (0.52) and is combined with the second correlation of network latency (0.45) and

schema complexity (0.31). These results necessitate the choice of workload and performance attributes that can be used to do predictive migration modeling

.




Fig.13: Distribution of Successful and Failed Migration Events

The distribution plot is used to show the successful migrations of 7,000 and the failure-risk of 3,000. The distribution of the classes gives a realistic picture of an imbalance situation with successful migrations being predominant in production settings. This confirms the necessity to have machine learning models that can help detect minority failure conditions.




Fig.14: ROC Curve Analysis for Migration Risk Prediction

The boxplot was used to compare between an effective and an ineffective migration in terms of complexity of the schema. Successful migrations have their median complexity at about 42, and failure cases are at about 68. The growing level of complexity proves that complex schema transformations would generate increased risks of migration.




Fig. 15: Feature Importance Analysis Using Random Forest

The analyses of the transaction volume versus the duration of migration are in the form of scatter plots. The averages are around 1,000-100,000 in terms of transaction volumes, and 300 minutes in terms of migration time. The distribution proves the fact that the level of workload affects the migration execution behavior and stability in the operation.




Fig.16: Feature Importance Analysis Using Gradient Boosting

The bar graph makes comparisons of various migration strategies by the average time taken to execute. There are four migratory methods whose timelines are approximately 150-152 min. Findings suggest that resilient structures must have optimization measures to diminish the impact of execution but keep the database running continuously.




Fig.17: Migration Duration Distribution Analysis

There is a scatter plot analysis of the CPU utilization and network latency at time of migration. The CPU load is between about 20% and 95% and the latency is about 200 Ms. The correlation shows that the control of resources use is needed to avoid the decrease in performance when there is a schema evolution.

	Accuracy	Precision	Recall	F1
Random Forest	0.952	0.952300	0.891547	0.920923
Gradient Boosting	0.966	0.957447	0.933014	0.945073

Fig.18: Network Latency Distribution During Migration

The comparison table of the two models: Random Forest and Gradient Boosting is the evaluation table. Random Forest achieves 95.2% accuracy, 95.23% precision, 89.15% recall, and 92.09% F1-score. The gradient boosting has a higher accuracy of 96.6%, better precision of 95.74%, better recall of 93.30 and better F1-score of 94.51%.




Fig.19: Machine Learning Accuracy Comparison

The comparison between the accuracies shows that both the models have high predictive performance. Random Forest has accuracy of up to 0.95 whereas Gradient Boosting has an accuracy of about 0.97. The findings validate the truth that migration risks among production database environments can be effectively predicted using ensemble learning.




Fig.20: Random Forest Confusion Matrix Evaluation

The confusion matrix depicts performance of the Random Forest classification. The model with the right number of migrations that result in success are 1,345 and 559 of failure-risk migrations, which means that the model yields 28 false positives and 68 false negatives. The outcomes show that there is high reliability in migration risk detection.




Fig.21: Gradient Boosting Confusion Matrix Evaluation

The Gradient Boosting confusion matrix shows that it has better classification abilities than that of Random Forest. Sequential error reduction leads to an increased identification accuracy of the model. The fact that its prediction of migration failures has been better, justifies its appropriateness in automated prediction of migration risks.




Fig.22: ROC Curve Analysis for Migration Risk Prediction

ROC curve compares effectiveness of classification by assessing trade-offs that are true-positive and false-positive. The value of area-under-curve in both ensemble models are above 0.90, which proves the adequacy of these models to be able to differentiate between successful and risky migration situations.




Fig.23: Feature Importance Analysis Using Random Forest

The feature importance graph can be used to highlight those factors that can be used in prediction when the migration is concerned. The level of complexity of the schema, length of migration, resultant latency of the network and degree of dependency can help predict migration risk. These results uphold Pragmatic schema evolution and risk specific measures of evaluation.

```
Random Forest
MAE: 0.048
RMSE: 0.21908902300206645
R2: 0.7769700686862492
----------------
Gradient Boosting
MAE: 0.034
RMSE: 0.18439088914585774
R2: 0.8420204653194265
----------------
```

Fig.24: Error and Regression Performance Evaluation

The graph is a comparison of regression-based error measurements on predicting the migration. Random Forest has a MAE of 0.048, RMSE 0.219, and R^2 of 0.777, whereas using Gradient Boosting, enhances performance with MAE of 0.034, RMSE 0.184, and R^2 of 0.842, which indicates superior prediction accuracy.

Discussion

The results prove the suggested zero-downtime migration paradigm as successful in risk prediction of migration but enhancing the reliability of schema evolution. Gradient Boosting performed better in terms of accuracy (96.6%), AUC (0.995) and R^2 of (0.842), compared to random forest. Migration duration, network latency, and schema complexity were found to be the most important features and proved the ability of the framework to provide proactive risk management, and a database continuously available.

VI. RESEARCH LIMITATION AND FUTURE DIRECTIONS

Research Limitations

The study assesses zero-downtime migration with simulated production-like data which could be inadequate to captivate all the intricacies of an enterprise database. Further, the framework needs to be further verified in varying distributed databases architectures and huge clouds.

Future Directions

Advanced methods in artificial intelligence and autonomous migration planning, real-time anomaly detection, and intelligent rollback decisions can be incorporated in future research to develop autonomous methods to plan migration. Future research can investigate upgrade settings where there are two or more clouds, practical industrial applications and self-healing database systems that are capable of automatically managing to ensure better scalability, dependability, and constant availability.

CONCLUSION

Conclusion

This study came up with a robust zero-downtime migration architecture that incorporates schema evolution patterns, risk prediction using machine learning, validates, and recovery components. The findings indicate that there is a better migration reliability with Gradient Boosting of 96.6% accuracy and 0.995 AUC. The framework facilitates the safe production schema development without relying on cost de-reliance, consistency, and efficiency of operation.

REFERENCES

[1]. Ponce, F., Márquez, G. and Astudillo, H., 2019, November. Migrating from monolithic architecture to microservices: A Rapid Review. In *2019 38th International Conference of the Chilean Computer Science Society (SCCC)* (pp. 1-7). IEEE.

[2]. Loginovsky, O.V., Shestakov, A.L. and Shinkarev, A.A., 2020. Supercomputing technologies as drive for development of enterprise information systems and digital economy. *Supercomputing Frontiers and Innovations*, *7*(1), pp.55-70.

[3]. Ellison, M., Calinescu, R. and Paige, R.F., 2018. Evaluating cloud database migration options using workload models. *Journal of Cloud Computing*, *7*(1), p.6.

[4]. Lehmann, C., Goren Huber, L., Horisberger, T., Scheiba, G., Sima, A.C. and Stockinger, K., 2020. Big Data architecture for intelligent maintenance: a focus on query processing and machine learning algorithms. *Journal of Big Data*, *7*(1), p.61.

[5]. Khalfallah, N., Ouali, S. and Kraiem, N., 2018. Approach for managing variability in database schema. *Journal of Asian Scientific Research*, *8*(6), p.221.

[6]. Mugarza, I., Amurrio, A., Azketa, E. and Jacob, E., 2019. Dynamic software updates to enhance security and privacy in high availability energy management applications in smart cities. *IEEE Access*, *7*, pp.42269-42279.

[7]. Bukhari, T.T., Oladimeji, O., Etim, E.D. and Ajayi, J.O., 2021. Designing scalable data warehousing strategies for two-sided marketplaces: An engineering approach. *International Journal of Management, Finance and Development*, *2*(2), pp.16-33.

[8]. Gamal, A., Barakat, S. and Rezk, A., 2021. Standardized electronic health record data modeling and persistence: A comparative review. *Journal of biomedical informatics*, *114*, p.103670.

[9]. Taylor, L. and Meissner, F., 2020. A crisis of opportunity: Market-making, big data, and the consolidation of migration as risk. *Antipode*, *52*(1), pp.270-290.

[10]. Tahir, A. and Van Looy, A., 2020. Business process management and digital innovations: A systematic literature review. *Sustainability*, *12*(17), p.6827.

[11]. Tang, J., Liu, G. and Pan, Q., 2021. A review on representative swarm intelligence algorithms for solving optimization problems: Applications and trends. *IEEE/CAA Journal of Automatica Sinica*, *8*(10), pp.1627-1643.
[12]. Kaur, H., Alam, M.A., Jameel, R., Mourya, A.K. and Chang, V., 2018. A proposed solution and future direction for blockchain-based heterogeneous medicare data in cloud environment. *Journal of medical systems*, *42*(8), p.156.
[13]. Dawadi, B.R., Rawat, D.B., Joshi, S.R. and Manzoni, P., 2020. Evolutionary gaming approach for decision making of Tier-3 Internet service provider networks migration to SoDIP6 networks. *International Journal of Communication Systems*, *33*(11), p.e4399.
[14]. Xu, J., Guo, S., Xie, D. and Yan, Y., 2020. Blockchain: A new safeguard for agri-foods. *Artificial intelligence in agriculture*, *4*, pp.153-161.
[15]. Vatankhah Barenji, A., Li, Z., Wang, W.M., Huang, G.Q. and Guerra-Zubiaga, D.A., 2020. Blockchain-based ubiquitous manufacturing: a secure and reliable cyber-physical system. *International Journal of Production Research*, *58*(7), pp.2200-2221.
[16]. Xing, L., 2020. Reliability in Internet of Things: Current status and future perspectives. *IEEE Internet of Things Journal*, *7*(8), pp.6704-6721.
[17]. Devalla, S., 2021. Optimizing performance, stability, and cost efficiency in large-scale enterprise migrations to AWS: A data-driven approach. *International Journal of Computer Engineering and Technology (IJCET)*, *12*(1), pp.137-159.
[18]. Akinboboye, O., Afrihyia, E., Frempong, D., Appoh, M., Omolayo, O., Umar, M.O., Umana, A.U. and Okoli, I., 2021. A risk management framework for early defect detection and resolution in technology development projects. *International Journal of Multidisciplinary Research and Growth Evaluation*, *2*(4), pp.958-974.
[19]. Bavadiya, P., 2021. OPTIMIZING CLOUD INFRASTRUCTURE DEPLOYMENTS USING INFRASTRUCTURE AS CODE: a COMPARATIVE STUDY OF TERRAFORM AND CLOUDFORMATION. *International Journal of Innovation Studies*, *5*(1), pp.142-149.
[20]. Wang, W., Liu, W., Chen, H., Wang, X., Tian, H. and Lin, D., 2021. Trust beyond border: lightweight, verifiable user isolation for protecting in-enclave services. *IEEE transactions on dependable and secure computing*, *20*(1), pp.522-538.
[21]. Daraojimba, A.I., Ogeawuchi, J.C., Abayomi, A.A., Agboola, O.A. and Ogbuefi, E., 2021. Systematic review of serverless architectures and business process optimization. *IRE Journals*, *4*, p.12.
[22]. Angelopoulos, A., Michailidis, E.T., Nomikos, N., Trakadas, P., Hatziefremidis, A., Voliotis, S. and Zahariadis, T., 2019. Tackling faults in the industry 4.0 era—a survey of machine-learning solutions and key aspects. *Sensors*, *20*(1), p.109.
[23]. Madamanchi, S.R., 2019. A performance benchmarking model for migrating legacy Solaris zones to AWS-based Linux VM architectures. *International Journal of Research and Analytical Reviews (IJRAR)*, *6*(1), p.26.
[24]. Guerron, X., Abrahão, S., Insfran, E., Fernández-Diego, M. and González-Ladrón-De-Guevara, F., 2020. A taxonomy of quality metrics for cloud services. *IEEE Access*, *8*, pp.131461-131498.
[25]. Shekhar, S., 2020. An in-depth analysis of intelligent data migration strategies from oracle relational databases to hadoop ecosystems: Opportunities and challenges. *Internafional Journal of Applied Machine Learning and Computafional Intelligence*, *10*(2), pp.1-24.
[26]. Maruthi, V., 2018. MIGRATE: A rollback-enabled framework for automated Oracle XTTS-based cross-platform database migrations. *J. Electrical Systems*, *14*(4), pp.85-95.
[27]. Kuper, N., Modersitzki, N., Phan, L.V. and Rauthmann, J.F., 2021. The dynamics, processes, mechanisms, and functioning of personality: An overview of the field. *British Journal of Psychology*, *112*(1), pp.1-51.
[28]. Tjaden, J., 2021. Measuring migration 2.0: a review of digital data sources. *Comparative Migration Studies*, *9*(1), p.59.
[29]. Eyada, M.M., Saber, W., El Genidy, M.M. and Amer, F., 2020. Performance evaluation of IoT data management using MongoDB versus MySQL databases in different cloud environments. *IEEE access*, *8*, pp.110656-110668.
[30]. Antunes, M., Santiago, A.R., Manso, S., Regateiro, D., Barraca, J.P., Gomes, D. and Aguiar, R.L., 2021. Building an IoT platform based on service containerisation. *Sensors*, *21*(19), p.6688.