

Mouth guard – A Necessity for Contact Sports

Dr. Nidhi Dhamija¹, Dr. Kanchan Sharma², Dr. Ruchi Thalwal³

^{1,2,3} MDS, Private Practitioner, India

Corresponding Author: Dr. Nidhi Dhamija, Batra's Dental & Orofacial Surgery Centre, Medical Enclave, Tohana, Haryana, India.

ABSTRACT

Mouth guard is a flexible appliance worn over the teeth by the persons engaged in contact sports. Mouth guards reduce the traumatic impacts and act by preventing the impact from reaching the oral region or by cushioning, absorbing, or distributing the impact forces. They can be of stock type; mouth formed; or custom fitted type. Mouth Guard helps to protect against chipped or broken teeth, root and bone damage, and tooth loss and safeguards against serious injuries such as jaw fracture, cerebral hemorrhage, concussion and neck injuries. Compulsory and regular use of a mouth guard is beneficial in both ways i.e. protection from injury and increase in sportsman efficiency in certain sports. This short communication also highlights the basic requirements and uses of mouth guards.

Keywords: Contact sports, Biteguard, Mouth guard, Teeth injuries, Tooth trauma

INTRODUCTION

Traumatic impacts provoke an acute delivery of energy that is released upon soft and hard tissues, resulting in laceration, contusion, or ablation of tissues. Mouthguards reduce the consequences of such impacts and act by preventing the impact from reaching the oral region or by cushioning, absorbing, or distributing the impact forces.¹

TYPES

Mouth guards are available in three types: (1) Stock mouth guards, which can be purchased in sporting goods and drug stores, come pre-formed and ready to wear; (2) Mouth-formed mouth guards which can be either a shell liner or a boil-and-bite kind; and (3) Custom-fitted mouth guards which are more expensive because they are made from a cast to precisely fit the teeth and provide the greatest degree of fit, comfort and protection.²

IDEAL REQUIREMENTS³

1. They should enclose the maxillary teeth to the distal surface of the second molars.
2. Thickness should be 3 mm on the labial aspects, 2 mm on the occlusal aspect, and 1 mm on the palatal aspect.
3. The labial flange should extend to within 2 mm of the vestibular reflection.
4. The palatal flange should extend about 10 mm above the gingival margin.
5. The edge of the labial flange should be rounded in cross-section whereas the palatal edge should be tapered.
6. When a maxillary guard is constructed it should be articulated against the matching mandibular model for optimum comfort.

USES⁴

Wearing a mouth guard is an important precaution for athletes of all ages and abilities;

- helping to protect against chipped or broken teeth, root and bone damage, and tooth loss.
- safeguard against serious injuries such as jaw fracture, cerebral hemorrhage, concussion and neck injuries by helping to avoid situations where the lower jaw jams into the upper jaw.
- By keeping soft tissue in the oral cavity away from the teeth, mouth guards help prevent cutting and bruising of the lips, tongue and cheeks, especially for athletes who wear orthodontic appliances.
- Other important advantage of using mouth guard is that they prevent development of Temporomandibular Joint (TMJ) Disorders mainly internal derangement. The basic theory being that the athlete, while lifting to his peak of performance, naturally clenches his jaw and thus loads the joint with excessive forces. This in long term results in development of internal derangement of TMJ i.e. malrelationship of the articular disc to the condylar head and the articular eminence. It can lead to the sequelae of pain, joint noises and restricted motion.
- Moreover, the mouth guard restrains the athlete from clenching thus redistributing that energy back to the athlete allowing him to lift more weight or perform more repetitions with the mouth guard in place. The mouth guard with power bites also provides an open airway for the athlete that he would not have through clenched teeth.

CONCLUSION

Compulsory and regular use of a mouth guard is beneficial in both ways i.e. protection from injury and increase in sportsman efficiency in certain sports.

REFERENCES

- [1] Bourguignon C, Sigurdsson A (2009) Preventive strategies for traumatic dental injuries. *Dent Clin North Am* 53(4):729-49.
- [2] Patrick DG, van Noort R, Found MS (2005) Scale of protection and the various types of sports mouthguard. *Br J Sports Med* 39(5):278-81.
- [3] Scott J, Burke FJT, Watts DC (1994) A review of dental injuries and the use of mouthguards in contact team sports. *Br Dent J* 176:310-4.
- [4] Ranalli DN, Elderkin DL (2006) Oral health issues for adolescent athletes. *Dent Clin North Am*. 50(1):119-37.